PRIDE • Use a No. 2 pencil only

THE PRIDE SURVEY PLUS FOR GRADES 6-12


Surveys COI									
I. PERSONAL A	ND FAMILY INFORMA	TION 4. Grade:							
1. Ethnic Origin:	. Ethnic Origin: 3. Age:		5. Do you live with	7. Do your parents have a job?					
White	10 years old or less	○ 6 ○ 7	oboth parents	Father Mother					
 African American 	○ African American ○ 11 years old		mother only	Yes, full-time					
Hispanic/Latino	Hispanic/Latino 12 years old		father only	Yes, part-time					
 Asian/Pacific Islan 	der	9	mother & stepfather	O No O					
Native American	14 years old	O 10	father & stepmother	8. What is the educational level of your father? mother?					
Mixed Origin	15 years old	O 11	O other						
Other	16 years old	O 12	6. Do you have a job?	Some high school					
2. Sex:	17 years old		Yes, full-time	○ High school graduate○ Some college					
Male	18 years old		Yes, part-time						
	19 years old or more		○ No	College graduate					
II. STUDENT INFORMATION									
 Do you make good 		0000	15. Do you take part in gang activities?						
2. Do you get into trou		00000	16. Have you thought at						
3. Do you take part in		00000		tobacco (cigarettes, etc.)?					
	school activities such as			18. Do your friends use alcohol (beer, liquor, etc.)?					
band, clubs, etc?		00000	20. Do your friends use						
	community activities such		prescribed to them?						
				nore glasses of beer, coolers,					
6. Do you attend chur		00000	breezers or liquor wi	to the state of th					
	with you about the problems		Dieezers of inquoi within a for floater						
of tobacco, alcohol		00000	15.16						
8. Do your teachers to		00000	22. Do you think that you	22. Do you think that you are overweight?					
	chool without your parents'		23. Has a doctor told you that you are overweight?						
permission in the p		00000	24. Have you bought or						
	et clear rules on using drugs			25. Have you bought or sold drugs when NOT at school?					
at school?		0000	26. Have you carried a g	26. Have you carried a gun for protection or as a weapon when					
	et clear rules on bullying or		NOT at school in the past year?						
threatening other s		0000	27. Do you own a cell phone?						
12. Do your parents se		00000	28. In the past year have you tried to cut down on the						
	nish you when you break the		time you were on yo	time you were on your cell phone?					
rules?		00000		29. Do you think that any of your friends use their cell					
14. Have you been in t	ouble with the police?	00000	phones too much?						
III. WITHIN THE PAST YEAR HOW OFTEN HAVE YOU WITHIN THE PAST YEAR HOW OFTEN HAVE YOU OFTEN HAVE YOU									
Used tobacco (ciga	EST 225		11. Used prescription do						
etc.)?			to you (such as Rita	lin, Xanax or					
2. Drunk alcohol (bee			OxyContin)? 12. Used over-the-coun						
etc.)?	000	00000		lei diugs (io get					
3. Smoked marijuana		00000							
4. Used cocaine (crac		00000		OOOOOO					
5. Used inhalants (glu		00000							
6. Used hallucinogen		00000							
7. Used heroin (opiate									
8. Used steroids?		00000							
9. Used ecstasy (MD		00000	any reason (OxyCo						
10. Used meth (crysta	, ice, crank, etc.)?		Percocet, Codeine, etc.)?						
	PLEASE DO NO	T WOITE IN TUI							
	PLEASE DO NO			942453					

IV. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?	IX. During the past 30 days where did you get any tobacco products? (Select one or more responses)				
 Neither approve nor disapprove Somewhat disapprove Don't know or can't say 	 I did not use any tobacco products in the past 30 days A gas station or convenience store 				
V. HOW MUCH DO YOU THINK PEOPLE RISK HARMING THEMSELVES PHYSICALLY OR IN OTHER WAYS IF THEY	 A grocery store A drugstore A mall or shopping center kiosk/stand On the Internet A tobacco/cigar store Some other place not listed here 				
Smoke one or more packs of cigarettes per day?	 ○ From a family member ○ From a friend 				
2. Use an e-cigarette, vape pen, e-liquid rig, (JUUL, N2, Joytech, etc.) excluding marijuana products? 3. Have five or more drinks of an alcoholic beverage	From some other person that is not a family member or a friend X. AT WHAT AGE				
(beer, coolers, liquor) once or twice a week? 4. Take one or two drinks of an alcoholic beverage	DID YOU FIRST				
(beer, coolers, liquor) nearly every day?					
Smoke marijuana once or twice a week? Use prescription drugs that are not prescribed to	2. Drink alcohol?				
them?	3. Smoke marijuana (pot, hash, etc.)?				
7. Use prescription opioid painkillers to get high	4. Use cocaine (crack, etc.)? 5. Use inhalants (glue, gas, etc.)?				
(OxyContin, Vicodin, Percocet, Codeine, etc.)?	6. Use hallucinogens (PCP, LSD,				
VI. DURING THE PAST 30 DAYS:	etc.)?				
	8. Use steroids?				
1. Did you smoke part or all of a cigarette?	9. Use ecstasy (MDMA)?				
Have you used an e-cigarette, vape pen, e-liquid rig, (JUUL, N2, Joytech, etc.) excluding marijuana products?	10. Use meth (crystal, ice, crank, etc.)?				
O Did you delete and a second	11. Use prescription drugs not				
4. Have you used marijuana or hashish?	prescribed to you? 12. Use over-the-counter drugs (to get				
5. Have you used prescription drugs not prescribed to you?	11110				
6. Have you used over-the-counter drugs (to get high)?	nigh)? 13. Use an e-cigarette, vape pen,				
7. Have you used inhalants (glue, gas, etc.)?	e-liquid rig, (JUUL, N2, Joytech,				
Have you used prescription opioid painkillers to get high	etc.) excluding marijuana products?				
(OxyContin, Vicodin, Percocet, Codeine, etc.)?	14. Use prescription opioid painkillers				
VII. During the past 30 days, where did you get or buy the e-cigarette, vape pen, or e-liquid rig, that you have used? (Select one or more	to get high (OxyContin, Vicodin, Percocet, Codeine, etc.)?				
responses)	XI. OPIOID PAIN KILLERS				
. ,	1. In your lifetime, on how many occasions have you been				
 I did not use an e-cigarette in the past 30 days A gas station or convenience store 	prescribed an opioid pain killer (OxyContin, Vicodin, Percocet, Codeine, etc.) by your doctor/dentist for any reason?				
A grocery store	Never				
A drugstore	Once				
A mall or shopping center kiosk/stand	○ Twice				
On the Internet	○ Three times				
A vape shop or other store that only sells e-cigarettes	Four or more times				
Some other place not listed here	O Marco have been described as a second seco				
○ From a family member○ From a friend	2. If you have been prescribed opioid pain killers (OxyContin,				
From some other person that is not a family member or a friend	Vicodin, Percocet, Codeine, etc.) have you ever taken more than you were prescribed because you liked the feeling?				
VIII. If you have ever used a vaporizer which brand did you use?	I have never been prescribed opioid pain killersYes				
	○ No				
○ I have never	3. Have you ever taken procedintion opioid note till and the taken				
○ NJOY ○ Logic ○ JUUL	3. Have you ever taken prescription opioid pain killers that were not prescribed to you just because you wanted to?				
O Blu O Vapin Plus O Other	Yes No No				

XII. HOW WRONG DO YOUR PARENTS FEEL IT WOULD BE FOR YOU TO 1. Smoke tobacco? 2. Have one or two drinks of an alcoholic	XVI. If you attempted suicide in the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse? O I did not attempt suicide during the past 12 months Yes
beverage nearly every day?	○ No
3. Smoke marijuana?	XVII. WHAT EFFECT DO
4. Use prescription drugs not prescribed to you?	YOU MOST OFTEN GET WHEN YOU
5. Use an e-cigarette, vape pen, e-liquid rig, (JUUL, N2, Joytech, etc.) excluding marijuana products?	GET WHEN YOU
6. Use prescription opioid painkillers to get high	(4) (4) (4) (4)
(OxyContin, Vicodin, Percocet, Codeine, etc.)?	1. Drink alcohol?
	2. Smoke marijuana (pot, hash, etc.)?
XIII. HOW WRONG DO YOUR FRIENDS FEEL IT	Use prescription drugs not prescribed to you? Use prescription opioid painkillers to get high
The state of the s	(OxyContin, Vicodin, Percocet, Codeine, etc.)?
WOULD BE FOR YOU IO	
1. Smoke tobacco?	XIX. VEHICLE SAFETY
2. Have one or two drinks of an alcoholic	1 69 99 99
beverage nearly every day?	1. During the past 30 days, how many times
3. Smoke marijuana? 4. Use prescription drugs not prescribed to you?	1. During the past 30 days, how many times did you drive a car or other vehicle when
4. Use prescription drugs not prescribed to you? 5. Use an e-cigarette, vape pen, e-liquid rig, (JUUL,	you had been drinking alcohol?
N2, Joytech, etc.) excluding marijuana products?	2. During the past 30 days, how many times did you
6. Use prescription opioid painkillers to get high	ride in a car or other vehicle driven by someone
(OxyContin, Vicodin, Percocet, Codeine, etc.)?	who had been drinking alcohol?
XIV. WHERE DO YOU USUALLY (You may mark more than one response for each question)	3. During the past 30 days, how many times did you drive a car or other vehicle when you had been using marijuana? 4. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone
1. Use tobacco?	who had been using marijuana?
2. Drink alcohol?	
3. Smoke marijuana (pot, hash, etc.)?	5. How often do you wear a seatbelt when driving a car? Never Sometimes Always
4. Use prescription drugs not prescribed to you? OOOO 5. Use an e-cigarette, vape pen, e-liquid rig,	Seldom Most of the time I don't drive
5. Use an e-cigarette, vape pert, e-tiquio rig, (JUUL, N2, Joytech, etc.) excluding marijuana	
products?	6. How often do you wear a seat belt when riding in a car driven by
6. Use prescription opioid painkillers to get high	someone else?
(OxyContin, Vicodin, Percocet, Codeine, etc.)?	○ Never ○ Sometimes ○ Always
XV. WHEN DO	Seldom Most of the time
YOU USUALLY (You may mark more than one response for each question)	XX. IN MY SCHOOL, I FEEL SAFE
1. Use tobacco?	1. In the classroom.
2. Drink alcohol?	2. In the cafeteria (lunchroom).
3. Smoke marijuana (pot, hash, etc.)?	3. In the halls.
4. Use prescription drugs not prescribed to you?	5. In the gym.
(JUUL, N2, Joytech, etc.) excluding marijuana	6. On the school bus.
products?	7. At school events (ballgames, etc.).
Use prescription opioid painkillers to get high	8. In the parking lot.
(OxyContin, Vicodin, Percocet, Codeine, etc.)?	9. On the way to or from school.

PLEASE DO NOT WRITE IN THIS AREA

942453



Vicodin, Percocet, Codeine, etc.)?

AIII.	ADL	JI I I C	MAL	. QUI	-211	ON2				
	1.	A	B	0	(D)	Œ	(F)	(\oplus	
	2.	A	B		(1)	Œ	(F)	(\oplus	
	3.	\bigcirc	B	(()		Œ	(E)	(G)	\oplus	
	4.	A	B	0	(Œ	Œ	©	\oplus	
	5.	\bigcirc	$^{\odot}$	0		Œ	Œ	©	\oplus	
	6.	A	B		(D)	Œ	(F)	G	\oplus	
	7.	A	$^{\oplus}$	0	(D)	(E)	Œ	G	\oplus	
	8.	A	B	(()	(1)	(E)	Œ	G	\oplus	
	9.	A	B	0		(E)	Œ	G	\oplus	
	10.	\bigcirc	B	0	(1)	(E)	(F)	(G)	\oplus	
	11.	\bigcirc	B	0	(1)	Œ	(E)	©	\oplus	
	12.	\triangle	$^{\oplus}$	0	(1)	Œ	(E)	(\oplus	
	13.		B		(1)	Œ	(E)	6		
	14.	A	B	0	(D)	Œ	(F)	(\oplus	
	15.	(A)	B	0	(Œ	Œ	(\oplus	
	16.	A	B	0	(D)	(E)	Ē	(\oplus	
	17.	A	B	0	(1)	Œ	(E)	©	\bigoplus	
,	18.	A	B	0	(1)	(E)	(F)	(G)	\oplus	
	19.	A	(B)	0	((E)	F	(H	
:	20.	A	B	©		Œ	(E)	(G)	\oplus	

Thank you for your participation.